

## Wall mounted

### UP Series

UP wall LED fixtures provide discreet and comfortable lighting.

They are made of aluminium and painted in any RAL color.

UP are produced in 9W, 12W and 16W versions, with CCT of 2700K, 3000K or 4000K.

UP luminaires have 5 year warranty.

DALI

0-10V

EM 3h

BLUE  
TOOTH


TUNABLE  
CCT



Manufactured in Greece




### Dimensions



### Applications


- Houses
- Bars
- Restaurants
- Hotels



Type	UP
Luminus Power	1208 lm - 2328 lm
Power	9W - 16W
Ambient Temperature	-30 °C - + 50 °C
Efficacy	132 - 145 lm/W
Power Factor	0,95
CRI	80
CCT	2700K - 4000K
IP Rating	IP30
Body	Alluminium
Dimensions	900mm x 240mm x 100mm
Weight	1.5 Kg
Finishing	Powder coating - RAL selection
Warranty	5 years
Compliances:	CE EN 60598-1:2008 +A11:2009 EN 60598-2-2 EN 61000-3-2:2006 + A1:2009 + A2:2009 EN 61547:2009 EN 55015:2006 + A1:2007 +A2:2009 EN 61000-3-3:2008 EN 62471:2008 IEC 62778 EN 62493:2010 2011/65/EC (Rohs) 2009/125/EC (EuP) 2006/95/EC (LVD) 2004/108/EC (EMC)

UP Versions					
Watt	Code	CCT	CRI	Lumen	Lm/W
<b>9W</b>	UP-827-9	2700	80	1208	134
	UP-830-9	3000	80	1225	136
	UP-840-9	4000	80	1288	143
<b>12W</b>	UP-827-12	2700	80	1562	130
	UP-830-12	3000	80	1621	135
	UP-840-12	4000	80	1746	145
<b>16W</b>	UP-827-16	2700	80	2116	132
	UP-830-16	3000	80	2214	138
	UP-840-16	4000	80	2328	145

## Polar Intensity Diagram



### AFOI TSIOLAKI OE

Industrial Zone of Thessaloniki  
Greece  
T: +302310 798 335  
F: +302310 799 868

e-mail: [info@techlumen.gr](mailto:info@techlumen.gr)  
[www.techlumen.gr](http://www.techlumen.gr)

 [facebook.com/techlumenledlightingen](https://facebook.com/techlumenledlightingen)

 @Techlumen

 [linkedin.com/company/tsiolakis-construction](https://linkedin.com/company/tsiolakis-construction)